





**Note:** Faxed prescriptions will only be accepted from a prescribing practitioner. Patients must bring an original prescription to the pharmacy. Prescribers are reminded patients may choose any pharmacy of their choice.

## **Prescription Referral Form**

NPI: 1225548480 • Ph: 888.618.4126 • F: 866.588.0371

1 Patient	Information	Please fax	Please fax FRONT and BACK copy of ALL Insurance cards (Prescription and Medical).						
atient Name:		Birthdate:	Sex:	Male	Female Height:	Weigh	t:	bs.	
ergies:		Patient Primary Languag	ge: Engl	ish Span	ish Other:		Hearing	Impa	
itient Phone:	Patient Email:			Care	giver Name:				
itient Address:		City:				State:	_ Zip:		
Diagnos	sis/Clinical Information	Please FAX Clinical Notes, L	₋abs, & Te	ests with t	he prescription	to expedite P	rior Authoriza	ation.	
agnosis/ICD-10:			F	Prior Failed	Treatments:	Must be co	mpleted for all	patie	
E03.9 Hypothyroidism				Treatment	Туре	Drug Name	Dates of	Use	
E06.3 Autoimmune Thyroiditis					r Thyroid				
,,	avidarum with Metabolic Disturbances			NP Thy Unithro					
Other:			_	Synthro		<del></del>			
ationale for Therapy:				Levoxyl					
Patient has allergies, intolerances, or sensitivities to (check all that apply):				Levothy	roxine				
Acacia Glut			_	Cytome	el				
Corn Lact	ose			Liothyro					
Dyes Suci	rose			Other:					
Patient has difficulty swallowing				Treatment	Naïve: Yes	No			
Patient is using a feed	ing tube								
Pediatric use					er has determined				
Precise dose needed the	nat is not able to be achieved with altern	natives			not be as effective adverse reaction o				
	bilized on the requested medication, an or loss of effectiveness. Start date of Ti				ted medication is	,	,	10 1110	
3 Prescri	ption Information	Please be sure t	to choose	both indu	ıction and maiı	ntenance dose	where applic	able	
Medication	Dose/Strength				Direction		Qty.	Refi	
TIROSINT® CAPSULES	TIROSINT 13mcg CAP 3x10 TIROSINT 25mcg CAP 3x10 TIROSINT 50mcg CAP 3x10 TIROSINT 75mcg CAP 3x10 TIROSINT 75mcg CAP 3x10 TIROSINT 88mcg CAP 3x10 TIROSINT 100mcg CAP 3x10	TIROSINT 112mcg CAP 3x10 TIROSINT 125mcg CAP 3x10 TIROSINT 137mcg CAP 3x10 TIROSINT 150mcg CAP 3x10 TIROSINT 175mcg CAP 3x10 TIROSINT 200mcg CAP 3x10	Take 1 capsule by mouth every morning 30 to 60 minutes before a meal.  Other:				Pack of 90	_	
TIROSINT® SOLUTIONS	TIROSINT-SOL 13mcg AMP 30 TIROSINT-SOL 25mcg AMP 30 TIROSINT-SOL 37.5mcg AMP 30 TIROSINT-SOL 44mcg AMP 30 TIROSINT-SOL 50mcg AMP 30 TIROSINT-SOL 62.5mcg AMP 30	TIROSINT-SOL 100mcg AMP 30 TIROSINT-SOL 112mcg AMP 30 TIROSINT-SOL 125mcg AMP 30 TIROSINT-SOL 137mcg AMP 30 TIROSINT-SOL 150mcg AMP 30 TIROSINT-SOL 175mcg AMP 30	before	Drink solution every morning 30 to 60 minutes before a meal. If desired, dilute in water only.  Other:			90 Ampules	_	
	TIROSINT-SOL 75mcg AMP 30 TIROSINT-SOL 88mcg AMP 30	TIROSINT-SOL 200mcg AMP 30							
	9	TIROSINT-SOL ZOUTICG AMP 30						_	
Provide	9	TIROSINT-SOL ZOUMER AMP 30						_	
	TIROSINT-SOL 88mcg AMP 30		e:					_	
inic Name:	TIROSINT-SOL 88mcg AMP 30  r/Prescriber Information	Provider Nam							
inic Name:ovider Phone:	TIROSINT-SOL 88mcg AMP 30  r/Prescriber Information	Provider Name			NP	l#:			
ovider Phone:	r/Prescriber Information  Provider Fax:	Provider Nam. DEA#:			NP	l#:			